

# Audiologic Report

## Tinnitus

Patient's	<i>Last Name</i>	<i>First Name</i>	<i>Initial</i>	<i>DOB</i>	<i>Age</i>
Address	<i>Street</i>	<i>City</i>	<i>State</i>	<i>Zip/Postal code</i>	
Telephone Number	<i>Home</i>	<i>Mobile</i>	<i>Work</i>	Date of Service	<i>Month / Day / Year</i>

# Hearing Assessment

Patient's Last Name	First Name	Initial	DOB	Age
---------------------	------------	---------	-----	-----

## PURE TONE AUDIOMETRY

TEST CONFIGURATION					
Audiometer					
Calibration					
Reliability					
Transducer					
	Air		Bone		No
	Unmasked	Masked	Unmasked	Masked	Response
Right	○	△	<	□	↘
Left	×	□	>	□	↙
CNT: Could Not Test NR: No Response Abs: Absent WNL: Within Normal Limits EP: Earphones			DNT: Did Not Test CNS: Could Not Seal Pres: Present WR: Word Recognition SF: Soundfield		

## TYMPANOMETRY

Probe frequency			
R:	L:	Right	Left
Type			
Pressure (daPa)			
Compliance (ml)			
ECV (ml)			
Gradient (daPa)			
Width (daPa)			

## ACOUSTIC REFLEX / DECAY

	Cont. R	Cont. L	IPSI R	IPSI L
500 Hz				
1000 Hz				
2000 Hz				
4000 Hz				

**TYMPANOGRAMS**      Pressure mm H2O. (R/L)

WORD RECOGNITION. Presentation: Recorded / Word List:						
	dBHL	%	Mask	dBHL	%	Mask
Right						
Left						
Binaural						

SPEECH AUDIOMETRY. Word List:				
	SRT/SAT	Mask	MCL	UCL
Right				
Left				
Binaural				

**Tinnitus Handicap Inventory (THI).** The questionnaire identify, quantify, and evaluate the difficulties the patient may be experiencing because of tinnitus.  
**Score:**

- 0 - 16 **Slight:** Only heard in quiet environment, very easily masked. No interference with sleep or daily activities.
- 18 - 36 **Mild:** Easily masked by environmental sounds and easily forgotten with activities. May occasionally interfere with sleep but not daily activities.
- 38 - 56 **Moderate:** May be noticed, even in the presence of background or environmental noise, although daily activities may still be performed.
- 58 - 76 **Severe:** Almost always heard, rarely, if ever, masked. Leads to disturbed sleep pattern and can interfere with ability to carry out normal daily activities. Quiet activities affected adversely.
- 78 - 100 **Catastrophic:** Always heard, disturbed sleep patterns, difficulty with any activity.

**Tinnitus Functional Index (TFI).** The questionnaire assesses the perceived severity and impact of tinnitus on the patient's quality of life. **Global score:**      **Subscale scores listed below.**

- I: **Intrusive:** Unpleasantness, intrusiveness, persistence.
- SC: **Sense of control:** Reduced sense of control.
- C: **Cognitive:** Cognitive interference.
- SL: **Sleep:** Sleep disturbance.

- A: **Auditory:** Auditory difficulties attributed to tinnitus.
- R: **Relaxation:** Interference with relaxation.
- Q: **Quality of life:** Quality of life reduced.
- E: **Emotional:** Emotional distress.

TINNITUS ASSESSMENT	Right	Both	Left
Tinnitus awareness			
Pitch matching (1/12 Octave)			
Loudness matching (2 dB resolution)			
Minimum masking level (MML)			
Maskability			
Residual inhibition			

# Hearing Assessment

Patient's *Last Name*

*First Name*

*Initial*

*DOB*

*Age*

---

**Assessment completed by:**

**Signature:**

---